

COMPANY PROFILE

About SUNITRAC Tire:

Sunitrac Tire Co., Ltd. is a new-style professional supplier specialized in tire field, which is one of the fastest growing companies in China, has been growing into top 3 tire and rubber trading companies since established in 2006, we supply full range of tires to international and domestic market, including PCR, UHP, SUV, LTR 4x4, TBR etc.

Sunitrac has got a unique advantage to keep providing new values to a customer oriented business growth. Our mission is to contribute to a more efficient driving and safety guarantee in everyday life.

About our Tire Business:

After more than 20 years' experience, we have built a world wide selling net in Europe, Africa, Middle East, Asia, South America and Oceania. We supply high quality tires with warranty, besides we have an experienced selling team to serve clients with full heart service and professional after-sales service system.

Looking into the future, through the hard work of all our staff and Sunitrac development strategy, Sunitrac will provide more excellent quality products and increase the enterprise value for the clients and society.

About SUNITRAC brand:

★ All passenger car tires are produced by automatic production line with Intelligent detection equipment to guarantee high quality.

★ Over 100 sizes from 13-22 inches, including LTR, SUV, and WINTER tires..

★ All patterns designed by our own engineers, leading designs for car tires.

★ Strict Quality Control system from raw material to finish to ensure every single piece accord with high standard

Certificates: ISO9001:2008, ECE, R117, GCC, SASO LABEL, SONCAP, DOT, S-MARK, INMETRO, EU-LABEL

We are always supplying quality tires!

Contact us today to get more information...



CHINA



DOT

USA




GCC

GULF COOPERATION COUNCIL



INMETRO



EUROPE

SUNITRAC --- TRACTION TO SUN TOUCHES

YOUR SAFETY IS OUR FOCUS



PCR VAN LTR AT MT
WINTER TIRES RUNFLAT

SUNITRAC TIRE CO., LTD.

ADD: 10th Floor, No.36 Miaoling Road, Laoshan District, Qingdao City, China

Tel: 0086(0)53268721601; 0086(0)68721519; 0086(0)532

Fax: 86 532 68721528

E-mail: info@sunitractire.com

www.sunitractire.com

| SUNITRAC TIRE CO., LTD. |

HP FOCUS 4000



Silence

Ideal design of pattern order with changing pitches efficiently decreases shock and noise.

Safety

3 longitudinal main grooves contribute to efficient drainage, provide great traction on wet roads; all-season design.

Handling

Lateral grooves on the shoulder and crown help to provide greater traction and handling stability, ensure exact cornering and braking.

UHP FOCUS 9000



Excellent Handling

Impressive asymmetric pattern and reinforced center rib provide good handling and braking performances; outstanding cornering ability ensures driving comfort. Inner pattern contributes to excellent water evacuating, outer pattern helps to provide a wider rubber road contact area and upgrades maneuverability.

Grip

Simple but skilful pattern design improves grip and draining abilities and decreases floatation on water standing road.

Pitch Order

Pre-simulated pitch order increases driving comfort, efficiently lowers noise.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
155/70R13	75T -	4.5B	157	548	BSW
155/80R13	79T -	4.5B	157	578	BSW
165/65R13	77Q-	5.00B	170	544	BSW
165/70R13	79T -	5.00B	170	562	BSW
165/80R13	83T -	4.5B	170	594	BSW
175/70R13	82T -	5.00B	177	576	BSW
165/60R14	75H-	5J	170	554	BSW
165/65R14	79T -	5J	170	570	BSW
165/70R14	85T XL	5J	170	588	BSW
175/70R14	84T -	5J	177	602	BSW
175/65R14	82H -	5J	177	584	BSW
185/55R14	80H -	6J	189	578	BSW
175/65R14	86T XL	5J	177	584	BSW
185/60R14	82H -	5 1/2J	189	578	BSW
175/65R15	84H -	6J	177	585	BSW
185/55R15	82V -	6J	194	585	BSW
185/65R14	86H -	5 1/2J	189	596	BSW
185/70R14	88T -	5 1/2J	189	616	BSW
195/70R14	91T	6J	201	630	BSW
185/55R15	82H -	6J	194	585	BSW
185/60R15	88H XL	5 1/2J	189	603	BSW
185/65R15	88H -	5 1/2J	189	621	BSW
195/50R15	82V -	6J	201	577	BSW
195/55R15	85V -	6J	201	595	BSW
195/60R15	88H -	6J	201	615	BSW
195/60R15	88V -	6J	201	615	BSW
195/65R15	91V -	6J	201	635	BSW
195/65R15	91H -	6J	201	635	BSW
205/65R15	94H -	6J	209	647	BSW
205/65R15	94V -	6J	209	647	BSW

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
185/50R16	81V -	6J	191	590	BSW
185/55R16	83V -	6J	193	615	BSW
195/45R16	84W XL	6 1/2 J	198	582	BSW
195/50R16	88V XL	6J	198	605	BSW
195/55R16	87V -	6J	198	620	BSW
195/60R16	85V	6 1/2 J	198	672	BSW
205/45ZR16	87W XL	7J	206	590	BSW
205/50R16	87V -	6 1/2 J	214	612	BSW
205/55ZR16	94W XL	6 1/2 J	214	632	BSW
205/55ZR16	91W -	6 1/2 J	214	632	BSW
205/55R16	91V -	6 1/2 J	214	632	BSW
205/60R16	92V -	6J	209	652	BSW
205/65R16	91V	6J	209	672	BSW
215/40R16	86W XL	6J	218	600	BSW
215/55ZR16	97W XL	7J	226	642	BSW
215/60R16	99V XL	6 1/2 J	221	664	BSW
215/65R16	98H -	6 1/2 J	221	686	BSW
225/50R16	92W	7J	233	632	BSW
225/55R16	99V	7J	233	654	BSW
225/60R16	98H -	6 1/2J	228	676	BSW
235/60R16	100V XL	7J	240	688	BSW
205/40ZR17	84W XL	7 1/2 J	206	596	BSW
205/50ZR17	93W XL	6 1/2 J	214	638	BSW
215/40ZR17	87W XL	7 1/2 J	218	604	BSW
215/45ZR17	91W XL	7J	218	626	BSW
215/50ZR17	95W XL	7J	226	648	BSW
215/55ZR17	98W XL	7J	226	668	BSW
215/60R17	96H -	7J	226	686	BSW
225/45ZR17	94W XL	7 1/2 J	225	634	BSW
225/55ZR17	101W XL	7J	233	680	BSW

UHP FOCUS 9000



Excellent Handling

Impressive asymmetric pattern and reinforced center rib provide good handling and braking performances; outstanding cornering ability ensures driving comfort. Inner pattern contributes to excellent water evacuating, outer pattern helps to provide a wider rubber road contact area and upgrades maneuverability.

Grip

Simple but skilful pattern design improves grip and draining abilities and decreases floatation on water standing road.

Pitch Order

Pre-simulated pitch order increases driving comfort, efficiently lowers noise.

UHP FOCUS 9000



Excellent Handling

Impressive asymmetric pattern and reinforced center rib provide good handling and braking performances; outstanding cornering ability ensures driving comfort. Inner pattern contributes to excellent water evacuating, outer pattern helps to provide a wider rubber road contact area and upgrades maneuverability.

Grip

Simple but skilful pattern design improves grip and draining abilities and decreases floatation on water standing road.

Pitch Order

Pre-simulated pitch order increases driving comfort, efficiently lowers noise.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
225/65R17	102H -	6 1/2 J	229	724	BSW
235/50ZR17	100W XL	7 1/2 J	244	668	BSW
235/55R17	99H -	7 1/2 J	249	688	BSW
225/50ZR17	98W XL	7J	233	658	BSW
235/45ZR17	97W XL	8J	236	644	BSW
235/65R17	108V XL	7J	240	738	BSW
245/40ZR17	95W XL	8 1/2J	248	628	BSW
245/45ZR17	99W XL	8J	243	652	BSW
255/60R17	106H -	7.5J	260	738	BSW
255/65R17	110H -	7 1/2 J	259	765	BSW
225/60R17	99H SL	6 1/2J	228	638	BSW
215/35ZR18	84W XL	7 1/2J	218	639	BSW
215/40ZR18	89W XL	7 1/2J	218	640	BSW
215/55ZR18	99V XL	8J	218	652	BSW
225/40ZR18	92W XL	8J	230	637	BSW
225/45ZR18	95W XL	7 1/2 J	229	658	BSW
225/55R18	98V -	7J	233	705	BSW
225/55ZR18	102W XL	7J	233	641	BSW
235/40ZR18	95W XL	8 1/2J	241	645	BSW
235/45ZR18	98W XL	8J	231	673	BSW
235/60R18	107V XL	7J	249	739	BSW
245/35ZR18	92W XL	8 1/2J	248	642	BSW
245/40ZR18	97W XL	8 1/2J	248	653	BSW
245/45ZR18	100W XL	8J	246	678	BSW
255/35ZR18	94W XL	8J	260	635	BSW
255/50ZR18	102W SL	8J	265	643	BSW
255/55ZR18	109V XL	8J	269	734	BSW
255/60R18	112V XL	8J	269	775	BSW
265/35ZR18	97W XL	9 1/2J	271	644	BSW
285/55ZR18	113V -	8J	289	739	BSW

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
225/40ZR19	93W XL	8J	234	643	BSW
235/35ZR19	91W XL	8 1/2J	241	647	BSW
245/35ZR19	93W XL	8 1/2J	248	645	BSW
245/40ZR19	98W XL	8 1/2J	248	646	BSW
245/45ZR19	98W SL	8J	243	647	BSW
255/35ZR19	96W XL	9J	260	661	BSW
255/40ZR19	100W XL	9J	260	648	BSW
255/50ZR19	107W XL	8J	267	739	BSW
255/55ZR19	111W XL	8J	264	770	BSW
275/30ZR19	96W XL	9 1/2J	278	649	BSW
275/45ZR19	108V XL	9J	274	731	BSW
275/45ZR19	108Y XL	9J	274	731	BSW
285/30ZR19	98W XL	10J	290	655	BSW
285/45R19	111V XL	10J	289	739	BSW
285/45ZR19	111W XL	10J	289	739	BSW
225/30ZR20	85W XL	7 1/2J	230	644	BSW
225/35ZR20	93W XL	7 1/2J	230	666	BSW
235/35ZR20	88W SL	8 1/2J	241	672	BSW
245/35ZR20	95W XL	8 1/2J	248	680	BSW
255/35ZR20	97W XL	9J	260	686	BSW
255/45R20	105V XL	8 1/2J	255	738	BSW
255/50ZR20	109W XL	8J	277	775	BSW
265/45ZR20	108W XL	9J	266	746	BSW
265/50R20	111V XL	8 1/2J	277	774	BSW
275/40ZR20	106W XL	9 1/2 J	278	728	BSW
275/45ZR20	110V XL	9J	273	756	BSW
275/50ZR20	109W SL	8 1/2J	284	784	BSW
275/55ZR20	117V XL	8 1/2J	284	810	BSW
275/60R20	115V SL	8 J	279	838	BSW
285/25ZR20	93W XL	10 1/2J	295	650	BSW

UHP FOCUS 9000



Excellent Handling

Impressive asymmetric pattern and reinforced center rib provide good handling and braking performances; outstanding cornering ability ensures driving comfort. Inner pattern contributes to excellent water evacuating, outer pattern helps to provide a wider rubber road contact area and upgrades maneuverability.

Grip

Simple but skilful pattern design improves grip and draining abilities and decreases floatation on water standing road.

Pitch Order

Pre-simulated pitch order increases driving comfort, efficiently lowers noise.

UHP FOCUS 9000



Excellent Handling

Impressive asymmetric pattern and reinforced center rib provide good handling and braking performances; outstanding cornering ability ensures driving comfort. Inner pattern contributes to excellent water evacuating, outer pattern helps to provide a wider rubber road contact area and upgrades maneuverability.

Grip

Simple but skilful pattern design improves grip and draining abilities and decreases floatation on water standing road.

Pitch Order

Pre-simulated pitch order increases driving comfort, efficiently lowers noise.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
285/30ZR20	99W XL	10J	290	680	BSW
285/50ZR20	116V XL	9J	297	794	BSW
295/45ZR20	114W XL	10J	296	774	BSW
265/45ZR21	104W SL	9 J	266	771	BSW
285/30ZR21	100W XL	10J	290	705	BSW
295/35ZR21	107W XL	10 1/2J	301	739	BSW
295/40ZR21	111W XL	10 1/2J	301	769	BSW
235/30ZR22	90W XL	8 1/2J	241	701	BSW
245/25R22	100V XL	9J	253	681	BSW
245/30ZR22	92W XL	8 1/2J	248	707	BSW
255/30ZR22	95W XL	9J	260	713	BSW
265/30ZR22	97W XL	9 1/2J	271	719	BSW
265/35ZR22	102V XL	9 1/2J	271	745	BSW
265/40ZR22	106V XL	9 1/2J	271	771	BSW
285/25ZR22	95W XL	10 1/2J	295	701	BSW
285/30ZR22	101V XL	10J	290	731	BSW
285/35ZR22	106W XL	10J	290	759	BSW
295/25ZR22	97W XL	10 1/2J	301	707	BSW
295/30ZR22	103Y XL	10 1/2J	301	373	BSW
305/40ZR22	114V XL	11J	313	803	BSW
305/45ZR22	118W XL	10J	303	833	BSW
245/30ZR24	94W XL	8 1/2J	248	758	BSW
255/30ZR24	97W XL	9J	260	764	BSW
275/25ZR24	96W XL	10J	283	748	BSW
275/30ZR24	101W XL	9 1/2J	278	776	BSW
295/30ZR24	105V XL	10 1/2J	301	788	BSW
295/35ZR24	110V XL	10 1/2J	301	816	BSW
305/35ZR24	112W XL	11J	313	824	BSW
255/30ZR26	99W XL	9J	261	814	BSW
275/25ZR26	98W XL	10J	283	798	BSW

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
295/30ZR26	107W XL	10 1/2J	301	838	BSW
305/30ZR26	109V XL	11J	313	844	BSW
255/25ZR28	95W XL	9J	260	839	BSW
275/25ZR28	99W XL	10J	283	849	BSW
295/25ZR28	103W XL	10 1/2J	301	859	BSW
255/30ZR30	104V XL	9J	260	916	BSW
265/30ZR30	106W XL	9 1/2J	271	922	BSW
275/25ZR30	101W XL	10J	283	900	BSW

VAN FOCUS VAN II



Tread Pattern

Original pattern design ensures excellent performance on wet and dry road, meanwhile provides better comfort.

Groove

Wider and deeper grooves ensures wear resistance and wet drainage, provides handling stability on all kinds of road conditions.

Handling

Scientific tire structure design and reinforced carcass material ensures super carrying capacity.

RUNFLAT FOCUS 6000



Silence

specialized low-noise tread formula further improves the noise reduction ability

Safety

Rim guard design is used in bead area to protect the rim form damage

Handling

Asymmetric tread design improves grip performance on both wet and dry ground, continuous tightened belt improves the durability at high speed

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
145R13C	88/86R	4.00B	145	566	BSW
155R13C	90/88R	4.50B	157	578	BSW
165R13C	94/93R	4.50B	165	594	BSW
175R13C	97/95Q	5.00B	177	610	BSW
165/70R13C	100/98Q	5.00B	170	562	BSW
195/50R13C	104/101N	6 J	201	526	BSW
165/70R14C	89/87R -	5J	170	588	BSW
175/65R14C	90/88T -	5J	177	584	BSW
175/70R14C	95/93Q	5 J	177	602	BSW
185R14C	102/100Q -	5 1/2J	188	650	BSW
195R14C	106/104Q -	5 1/2J	198	650	BSW
205R14C	107/105R	6 J	208	684	BSW
205/70R14C	94/91Q	6 J	209	644	BSW
195R15C	106/104N	5 1/2J	196	693	BSW
195/70R15C	104/102R -	6J	201	655	BSW
205/65R15C	102/100T -	6J	209	647	BSW
205/70R15C	106/104R -	6J	209	669	BSW
215R15C	109/107S	6 J	216	722	BSW
225/70R15C	112/110R -	6 1/2J	228	697	BSW
185/75R16C	104/102R -	5J	184	684	BSW
195/65R16C	104/102R -	6J	201	660	BSW
195/75R16C	107/105R -	5 1/2J	196	698	BSW
205/65R16C	107/105R -	6J	209	672	BSW
205/75R16C	110/108R -	5.5J	203	714	BSW
215/65R16C	109/107R -	6 1/2J	221	686	BSW
215/75R16C	116/114R -	6J	216	728	BSW
225/65R16C	112/110R -	6 1/2J	228	698	BSW
235/65R16C	115/113R -	7J	240	712	BSW

SIZE	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
195/55RF16	6J	201	620	BSW
205/55ZRF16	6 1/2J	214	632	BSW
205/45ZRF17	7J	206	616	BSW
205/50ZRF17	6 1/2J	214	638	BSW
225/45RF17	7 1/2J	225	634	BSW
225/50RF17	7J	233	658	BSW
225/55RF17	7J	233	680	BSW
225/40ZRF18	8J	230	637	BSW
245/40ZRF18	8 1/2J	248	653	BSW
245/45RF18	8J	243	677	BSW
245/50RF18	7 1/2J	253	703	BSW
255/35ZRF18	9J	260	635	BSW
255/40ZRF18	9J	260	661	BSW
255/55ZRF18	8J	265	737	BSW

DOUBLE BODYPLY FOCUS 8000



Tread Pattern

Longitudinal and discontinuous shoulder grooves suppress uneven wear effectively

Groove

High wear-resistance formula ensures high mileage

Handling

The sipes on shoulder bring low noise and better heat dissipation performance

With 3 drainage grooves provide good drainage performance and prevent tire slide on wet road

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
195/55R16	91V	6J	201	620	BSW
205/55R16	91W	6 1/2J	214	632	BSW
215/55R16	97W	7J	226	642	BSW
225/55R16	99W	7J	233	654	BSW
205/50ZR17	93Y	6 1/2J	214	638	BSW
215/50ZR17	95W	7J	226	648	BSW
215/55ZR17	98W	7J	226	668	BSW
225/45ZR17	94W	7 1/2J	225	634	BSW
225/50ZR17	98W	7J	233	658	BSW
225/55ZR17	101W	7J	233	680	BSW
235/45ZR17	97W	8J	236	644	BSW
235/55ZR17	103W	7 1/2J	245	715	BSW
255/45ZR18	103W	8.5J	255	687	BSW
225/45ZR18	95W	7 1/2J	225	659	BSW
235/45ZR18	98W	8J	236	669	BSW
235/50ZR18	100W	7.5	245	693	BSW
245/45ZR18	100W	8J	243	677	BSW

SUN TERRAIN AT



Silence

Optimized pattern block pitch and angle reduce noise effectively

Safety

Strong shoulder design improves tread shoulder wearing performance

Handling

Deep tread pattern and curve shoulder enhance the cross-country performance

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
215/65R16	98H	6 1/2J	221	686	BSW
225/70R16	103H	6 1/2J	228	722	BSW
245/70R16	107H	7J	248	750	BSW
225/60R17	99H	6 1/2J	228	702	BSW
225/65R17	102H	6 1/2J	228	724	BSW
235/65R17	104H	7J	240	738	BSW
235/60R18	103H	7J	240	739	BSW
245/75R15C	109T	7J	248	749	BSW
245/70R16C	107S	7J	248	750	BSW
LT215/75R15	106/103Q	6J	215	703	BSW
LT235/75R15	110/107Q	6 1/2J	235	733	BSW
LT225/70R16	102Q	6 1/2J	228	722	BSW
LT235/70R16	110S	7J	240	736	BSW
LT245/70R16	113Q	7J	248	750	BSW
LT265/70R16	117Q	8J	272	778	BSW
LT245/75R16	116R	7J	248	774	BSW
LT245/75R16	120R	7J	248	774	BSW
LT225/65R17	102Q	6 1/2J	228	724	BSW
LT235/65R17	104Q	7J	240	738	BSW
LT245/65R17	111Q	7J	248	750	BSW
LT265/65R17	120Q	8J	272	776	BSW
LT235/60R18	119Q	7J	240	739	BSW
LT285/50R20	116Q	9J	297	794	BSW
LT31*10.5R15	109R	8 1/2J	268	775	BSW
LT275/70R16	119/116R	8J	279	792	BSW
LT245/70R17	119/116R	7J	248	776	BSW
LT265/70R17	121/118R	8J	272	804	BSW
LT275/65R17	121/118R	8J	279	790	BSW
LT245/60R18	112/109R	7J	248	751	BSW
LT255/55R18	109/105R	8J	265	737	BSW
LT265/60R18	119/116R	8J	272	775	BSW
LT285/60R18	122/119R	8.5J	292	799	BSW
LT255/55R19	115/112T	8J	265	763	BSW

SUN TERRAIN M/T



Silence

Wide and deep groove design provides good gripping power in mud terrain

Safety

Thicker MT sidewall improves anti-puncture performance

Handling

Special protrusions at the bottom of grooves avoid groove crack and clamping stones

WINTER FOCUS WIN I



Tread Block

Combination of multiple sipes & blocks designed to grip all surfaces encountered during winter including snow, ice & slush.

Tread Grooves

Depth of the tread grooves and design features allow enhanced mobility. Particularly in deep snowy & muddy roads.

Wide Tread

Wide tread contact patch generates acceleration and braking power as well as cornering traction for outstanding winter maneuvering.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
LT215/70R15	109Q	6 1/2J	221	683	BSW
LT215/75R15	106Q	6 J	216	703	BSW
LT235/75R15	116Q	6 1/2 J	235	733	BSW
LT285/70R17	126Q	8 1/2 J	292	832	BSW
LT285/65R18	125Q	8 1/2 J	285	826	BSW
LT325/60R18	119Q	9 1/2 J	328	838	BSW
275/60R20	114Q	8 J	279	838	BSW
LT285/55R20	122Q	9 J	298	820	BSW
LT305/55R20	121Q	9 1/2 J	320	840	BSW
LT325/60R20	121Q	9 1/2 J	328	892	BSW
LT325/50R22	122Q	10 J	335	887	BSW
LT31X10.50R15	109Q	8 1/2J	268	775	BSW
LT33X12.50R17	120Q	10 J	318	826	BSW
LT35X12.50R18	123Q	10 J	318	877	BSW
LT35X12.50R20	121Q	10 J	318	890	BSW
LT37x13.50R22	123Q	11 J	350	941	BSW

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
155/65R13	73T	4.50B	157	532	BSW
165/70R13	79T	5.00B	170	562	BSW
165/60R14	75T	5J	170	554	BSW
165/70R14	81T	5J	170	588	BSW
175/65R14	82T -	5J	177	584	BSW
175/65R14	86T XL	5J	177	584	BSW
175/70R14	88TXL	5J	177	602	BSW
185/65R14	86T -	5 1/2J	189	596	BSW
185/60R14	82T	5 1/2J	189	578	BSW
185/70R14	88T	5 1/2J	189	616	BSW
185/55R15	86H XL	6J	194	584	BSW
185/60R15	84H	5 1/2J	189	603	BSW
185/65R15	88T -	5 1/2J	189	621	BSW
195/50R15	82H -	6J	201	577	BSW
195/60R15	88T -	6J	201	615	BSW
195/55R15	85H	6J	201	595	BSW
195/65R15	91T -	6J	201	635	BSW
205/65R15	94H	6J	209	647	BSW
195/55R16	87H -	6J	201	620	BSW
195/60R16	89T	6 1/2J	201	676	BSW
205/55R16	91T -	6 1/2J	214	632	BSW
205/55R16	91H -	6 1/2J	214	632	BSW
205/60R16	96HXL	6J	209	652	BSW
215/55R16	97VXL	7J	226	642	BSW
215/60R16	99H XL	6 1/2J	221	664	BSW
215/65R16	98H	6 1/2J	221	686	BSW
215/70R16	100T	6.5	221	708	BSW
225/55R16	99H XL	7J	233	654	BSW
225/60R16	98T	6 1/2J	228	676	BSW
225/70R16	107TXL	6 1/2J	228	722	BSW

WINTER FOCUS WIN I



Tread Block

Combination of multiple sipes & blocks designed to grip all surfaces encountered during winter including snow, ice & slush.

Tread Grooves

Depth of the tread grooves and design features allow enhanced mobility. Particularly in deep snowy & muddy roads.

Wide Tread

Wide tread contact patch generates acceleration and braking power as well as cornering traction for outstanding winter maneuvering.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
235/60R16	100T	7J	240	688	BSW
235/70R16	106T	7J	240	736	BSW
245/70R16	107T	7J	248	750	BSW
265/70R16	112T	8J	272	778	BSW
205/45R17	88VXL	7J	206	616	BSW
205/50R17	93VXL	6 1/2J	214	638	BSW
215/50R17	95V XL	7J	226	648	BSW
215/50R17	95H XL	7J	226	648	BSW
215/45R17	91VXL	7J	223	626	BSW
215/55R17	94H	7J	226	668	BSW
215/60R17	96H	6.5J	221	690	BSW
225/45R17	94V XL	7 1/2J	225	634	BSW
225/45R17	94H XL	7 1/2J	225	634	BSW
225/50R17	98HXL	7J	233	658	BSW
225/55R17	101HXL	7J	233	680	BSW
225/60R17	99H	6 1/2J	228	702	BSW
225/65R17	102T	6 1/2J	228	724	BSW
235/45R17	97VXL	8J	236	644	BSW
235/50R17	100HXL	7J	247	658	BSW
235/55R17	103HXL	7 1/2J	245	690	BSW
235/65R17	108TXL	7J	240	738	BSW
245/65R17	111HXL	7J	248	750	BSW
265/65R17	116HXL	8J	272	776	BSW
215/55R18	95H	8J	223	737	BSW
225/40R18	92V XL	8J	230	637	BSW
225/55R18	98H	7J	233	705	BSW
225/60R18	104HXL	6.5J	228	727	BSW
235/50R18	101HXL	7.5J	245	693	BSW
235/55R18	100H	7.5J	245	715	BSW
235/60R18	107TXL	7J	240	739	BSW

WINTER FOCUS WIN I



Tread Block

Combination of multiple sipes & blocks designed to grip all surfaces encountered during winter including snow, ice & slush.

Tread Grooves

Depth of the tread grooves and design features allow enhanced mobility. Particularly in deep snowy & muddy roads.

Wide Tread

Wide tread contact patch generates acceleration and braking power as well as cornering traction for outstanding winter maneuvering.

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
245/45R18	100HXL	8J	243	677	BSW
255/55R18	105H	8J	265	737	BSW
265/60R18	114TXL	8J	272	775	BSW
285/60R18	120HXL	8.5J	292	799	BSW
225/45R19	96HXL	8J	233	703	BSW
225/55R19	99H	7J	233	731	BSW
235/50R19	103HXL	8J	238	739	BSW
235/55R19	105HXL	7.5J	245	741	BSW
245/45R19	102HXL	8J	243	703	BSW
245/55R19	103H	7.5	253	753	BSW
255/50R19	107HXL	8J	265	739	BSW
255/55R19	111HXL	8J	265	763	BSW
265/50R19	110HXL	8J	272	739	BSW
245/45R20	103HXL	8J	243	728	BSW
255/50R20	109HXL	8 1/2J	264	774	BSW
265/50R20	111HXL	8 1/2J	277	774	BSW
275/40R20	106HXL	9 1/2J	278	728	BSW
275/45R20	110HXL	9J	273	756	BSW

WINTER FOCUS WIN II



WINTER TIRE

Special Tread compound with silica helps tires to remain softness in low temperature, ensures stable driving and braking forces

Anti-slippery

the large number of sipes guarantee good grip on a slippery surface. the tyre's sturdy construction provides stability on the road as well as durability

Excellent drainage

Powerful grooves remove water and slush from between the tyre and the road, the tread pattern effectively cleans itself of snow

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
175/70R13	82T	5.00B	177	576	BSW
175/65R14	86TXL	5J	177	584	BSW
175/70R14	88TXL	5J	177	602	BSW
185/65R14	90TXL	5 1/2J	189	596	BSW
185/70R14	92TXL	5 1/2J	189	616	BSW
185/60R15	88TXL	5 1/2J	189	603	BSW
185/65R15	92TXL	5 1/2J	189	621	BSW
195/60R15	92TXL	6J	201	615	BSW
195/65R15	95TXL	6J	201	635	BSW
205/65R15	99TXL	6J	209	647	BSW
205/70R15	100TXL	6J	209	669	BSW
205/55R16	94TXL	6 1/2J	214	632	BSW
205/60R16	96TXL	6J	209	652	BSW
215/60R16	99TXL	6 1/2J	221	664	BSW
215/65R16	102TXL	6 1/2J	221	686	BSW
215/70R16	100T	6 1/2J	221	750	BSW
225/60R16	102TXL	6 1/2J	228	676	BSW
235/70R16	106T	6 1/2J	240	750	BSW
245/70R16	111TXL	7J	248	750	BSW
265/70R16	112T	6 1/2J	271	750	BSW
195/60R16C	99/97T -	6J	201	640	BSW
195/70R15C	104/102R -	5J	201	655	BSW
205/70R15C	106/104R -	6J	209	669	BSW
205/65R16C	107/105R -	6J	201	672	BSW
215/65R16C	109/107R -	6 1/2J	221	686	BSW
215/55R17	98HXL	7J	226	668	BSW
225/45R17	94HXL	7 1/2J	225	634	BSW
225/50R17	98HXL	7J	233	658	BSW
225/55R17	101HXL	7J	233	680	BSW
225/65R17	106TXL	6 1/2J	228	724	BSW

WINTER FOCUS WIN II



WINTER TIRE

Special Tread compound with silica helps tires to remain softness in low temperature, ensures stable driving and braking forces

Anti-slippery

the large number of sipes guarantee good grip on a slippery surface. the tyre's sturdy construction provides stability on the road as well as durability

Excellent drainage

Powerful grooves remove water and slush from between the tyre and the road, the tread pattern effectively cleans itself of snow

SIZE	L.I./S.R.	Std.Rim	S.W. mm	O.Dia mm	SIDEWALL
235/55R17	103TXL	7 1/2J	245	690	BSW
235/65R17	108TXL	7J	240	738	BSW
245/65R17	111TXL	7J	243	724	BSW
265/65R17	112T	7J	271	724	BSW
225/40R18	92HXL	8J	230	637	BSW
235/60R18	107TXL	7J	240	739	BSW
245/45R18	100HXL	8J	243	677	BSW
255/55R18	109TXL	8J	265	737	BSW
175R14C	99/98T	5J	177	620	BSW
185R14C	102/100S	5 1/2J	188	652	BSW
215/70R15C	98/95T	5 1/2J	221	683	BSW
215/75R15LT	100/97T	5 1/2J	221	703	BSW
235/75R15LT	104/101T	5 1/2J	245	703	BSW